

Trade Waste Customer Charter

February 2023



WESTERNPORT
WATER

Table of Contents

1	Definitions and abbreviations	3
1.1	Definitions	3
2	Introduction	4
2.1	Introduction	4
2.2	About Westernport Water	4
2.3	Intended audience	4
2.4	What is trade waste?	5
2.5	Why manage trade waste separately?	5
3	Provision of trade waste services	6
3.1	Application to discharge trade waste	6
3.1.2	<i>Responding to an application</i>	6
3.1.3	<i>Rejection an application</i>	6
4	Classification of trade waste customers	7
4.1	Trade waste classification	7
4.1.2	<i>Classification process</i>	8
4.1.3	<i>Explanation of basis for classification</i>	8
4.2	Risk identification and mitigation	8
4.2.1	<i>Risk assessment by Westernport Water</i>	8
4.2.2	<i>Risk assessment by the trade waste customer</i>	8
4.3	Trade waste agreements	8
4.3.1	<i>Form of agreement</i>	8
4.3.2	<i>Identify the Trade Waste customers</i>	9
4.3.3	<i>Matters to be dealt with by a trade waste agreement</i>	10
4.3.4	<i>Minor Trade Waste customers (“deemed”)</i>	10
4.3.5	<i>Amendment to the trade waste agreement</i>	10
4.4	Fees and charges	11
4.5	Acceptance criteria	11
4.5.1	<i>Maintain approved statement of acceptance criteria</i>	11
4.5.2	<i>Maintain approved statement of acceptance criteria</i>	11
4.5.3	<i>Amendment to statement of approved acceptance criteria</i>	11
4.5.4	<i>Customer specific acceptance criteria</i>	12
4.6	Dispute resolution	12
4.6.1	<i>Complaints and dispute policy</i>	12
4.6.2	<i>Matters involving more than on water business</i>	12
4.7	Sewerage system capacity planning	12

1 Definitions and abbreviations

1.1 Definitions

Acceptance criteria means the criteria applied by Westernport Water to determine whether Trade Waste may be accepted into the sewerage system.

Approved acceptance criteria means acceptance criteria which have been approved by the Commission in accordance with clauses 6.1(c) or 6.4 of the Trade Waste Code.

Business day means Monday to Friday excluding public holidays in Victoria.

Commission means the Essential Services Commission of Victoria.

Complaint means a written or verbal expression of dissatisfaction about an action, proposed action or failure to act by Westernport Water, including a failure of Westernport Water to observe its published policies, practices or procedures.

Customer means a person who is:

- a. an owner and occupier of a property connected to Westernport Water's sewerage system; or
- b. an owner of a property which is connected to Westernport Water's sewerage system but is not an occupier; or
- c. an occupier of a property that is connected to Westernport Water's sewerage system and is liable for usage charges; or
- d. an authorised representative of the owner or occupier of a property connected to Westernport Water's sewerage system.

Customer Service Code means the Customer Service Code – Metropolitan and Regional Water Businesses published by the Commission under Section 4F of the *Water Industry Act 1994*

“Deemed” Trade Waste customer means customers that discharge small amounts of Trade Waste and who, as a result of this discharge are taken to have entered into a default Trade Waste Agreement with Westernport Water arising by customer conduct in accordance with clause 4.4.

Discharge acceptance point means the point at which the Trade Waste enters the sewerage system.

General Environmental Duty (GED) means the central focus of all Victorian's duty under the *Environmental Protection Act 2017* to avoid human health and environmental impacts from waste and pollution from activities.

Melbourne Water means the Melbourne Water Corporation (ABN 81 945 386 953) and any successor in law

Price Determination means the Westernport Water Determination (1 July 2008 – 30 June 2013) made by the Commission under section 33 of the *Essential Services Commission Act 2001* and clause 8 of the *Water Industry Regulatory Order 2003*.

Sewage means any human excreta or domestic waterborne waste, whether untreated or partially treated, but does not include Trade Waste.

Sewerage system means any sewer, treatment plant, storage or other infrastructure for the acceptance, transport, storage and treatment of sewage and Trade Waste that is the responsibility of Westernport Water.

Trade Waste Trade Waste means any liquid waste (and substance contained within it) generated by any industry, commercial, business or manufacturing process, other than residential domestic waste that is acceptable for discharge to the sewer system.

Trade Waste Agreement means written permission, consent, permit or other process to accept Trade Waste discharge.

Trade Waste Code means the Trade Waste Customer Service Code – Metropolitan Retail and Regional Water Businesses published by the Commission under Section 4F of the *Water Industry Act 1994*.

Trade Waste Management Policy means the Trade Waste Management Policy published by Westernport Water and amended from time to time (available on Westernport Water's website).

Water Law means the *Water Act 1989* and the *Water Industry Act 1994*, and any regulations or subordinate legislation and guidance made under those Acts.

Westernport Water means Westernport Region Water Corporation (ABN 63 759 106 755)

2 Introduction

2.1 Introduction

Westernport Water's Trade Waste Charter outlines the processes and guidelines for obtaining approvals to discharge Trade Waste to the Westernport Water sewer system, including responsibilities and standards of Trade Waste management services. The purpose of this charter is to provide customers with consistent, transparent and timely decision making advice for Trade Waste management in Westernport Water's service area. If your commercial property is connected to our sewer system, we will provide wastewater collection services in accordance with this Trade Waste Customer Charter.

The Essential Services Commission's (ESC) [Code](#) regulates Westernport Water under section 4F of the *Water Industry Act 1994*. The ESC Trade Waste Code – September 2014 set out the minimum standards and obligations on each water business specific to the management of Trade Waste services for customers, which are considered in this Charter.

2.2 About Westernport Water

Westernport Water is one of 12 regional urban water corporations supplying water, wastewater, and recycled water (where applicable) related services to communities in regional Victoria. We deliver services to approximately 22,000 customers across an area covering 300 square kilometres encompassing Phillip Island and townships from The Gurdies to Archies Creek. Water is supplied via the Candowie Reservoir located in the Bass Hills and is harvested from a number of sources including the catchment area surrounding the reservoir, the Bass River and groundwater bores. An alternative water source is available from the Metropolitan Pool.

Wastewater services are provided to approximately 90% of properties that are connected to the water supply service. Wastewater is treated at two treatment plants (one located on Phillip Island known as the Cowes Wastewater Treatment Plant and the other at Coronet Bay known as the King Road Wastewater Treatment Plant) that process approximately 1,100 ML of domestic wastewater annually.

Our services adhere to the ESC Trade Waste Code: Victorian Urban Water Businesses and any legislation or regulations imposed on water corporations.

2.3 Intended audience

This Charter has been written for all commercial customers, plumbers, consultants and developers and Westernport Water personnel involved with Trade Waste discharge and management within Westernport Water's service area. Westernport Water has issued this Charter to inform its customers about the Trade Waste services performed by Westernport Water and the respective rights and responsibilities of Westernport Water and of its customers.

This Charter should be read in conjunction with our Customer Charter. Both Charters are available from our website www.westernportwater.com.au.

A hard copy is available on request by contacting Westernport Water on 1300 720 711 or by email at westport@westernportwater.com.au.

This Charter applies from the 1 September 2020 ("the commencement date").

Westernport Water will consult with Trade Waste customers on any changes to this Charter and inform each Trade Waste customer within the next billing cycle of any material changes to this Charter. The details of the change will be available on www.westernportwater.com.au or upon request.

Westernport Water's Service Area



Figure 1: Westernport Water's Service Area

2.4 What is trade waste?

Trade Waste is any liquid waste (and substance contained in it) generated by any industry, commercial business or manufacturing process, other than residential domestic waste, acceptable for discharge to sewer system. It may contain chemicals, metals, high organic loads, fats, greases or detergents.

2.5 Why manage trade waste separately?

Our wastewater treatment plants have been designed to treat domestic wastewater and the presence of Trade Waste in the sewerage system increases the risk of environmental damage and increases the cost associated with sewage treatment.

Under the *Water Act 1989* and the *Water industry Act 1994*, it is an offence for a person to cause or permit the discharge of Trade Waste to the sewerage system other than in compliance with a Trade Waste Agreement or with consent from the water authority.

Through our Trade Waste management process, Westernport Water works with our industrial and commercial customers and community. We manage Trade Waste to:

- protect the health and safety of Westernport Water staff managing our sewerage systems
- protect the integrity of sewerage systems
- protect the sewage treatment plant processes
- protect the environment
- facilitate and provide opportunities for reuse of effluent and biosolids.

3 Provision of trade waste services

3.1 Application to discharge trade waste

To enable Westernport Water to operate in accordance with the Trade Waste Code, each business that intends on discharging wastewater (other than domestic wastewater) requires a signed agreement with us. Some businesses require treatment of waste before it is discharged into our sewer depending on the classification applicable to the operations of the business.

3.1.1 Making an application

Westernport Water will consider all applications for the discharge of Trade Waste to its sewerage system and requires the following:

- a completed application
[Trade Waste Service Application form](#)
- supporting information specified in the application form
- payment of the application form (if applicable)

An application form together with any relevant documentation, can be:

- found on Westernport Water’s website
www.westernportwater.com.au
- obtained by visiting Westernport Water’s office located at 2 Boys Home Road, Newhaven or
- by calling us on 1300 720 711.

Prior to lodging an application, customers are encouraged to contact Westernport Water to discuss the application to ensure that all required information is provided and obtain assistance on preparation of the application, if required.

3.1.2 Responding to an application

Westernport Water will provide a response to all applications for a Trade Waste Agreement within 10 business days of receiving the application advising:

- whether the application has been accepted, rejected, or accepted with amendments
- if a longer period is required to assess the application
- if further information is required to enable a full assessment and what further information must be provided by the applicant.

3.1.3 Rejection an application

If Westernport Water provides a notice of rejection under section 3.1.2, it will also provide a statement of reasons for rejection at the same time.



*Photo description:
The bridge over Western Port that connects San Remo and Phillip Island.*

4 Classification of trade waste customers

4.1 Trade waste classification

Westernport Water will classify Trade Waste dischargers depending on the quantity and/or quality of the Trade Waste entering the sewer and which treatment plant the final effluent will flow to. The quality of the Trade Waste is to comply with the established Acceptance Criteria.

Any discharge to the sewer other than by a residential customer will be classified according to the type of business, industry or activity carried out. The process of classification and determination is in accordance with industry best practice and regulations which includes requirements under the GED.

This classification of Trade Waste customers is a long established process which follows the requirements set out under 2.2 of the Trade Waste Code.

4.1.1 Classification requirement and purpose

Westernport Water will assess all new applications for the discharge of Trade Waste to the sewerage system in accordance with Westernport Water's Trade Waste Management Policy.

Customers holding an existing Trade Waste Agreement with Westernport Water need not reapply as a result of the introduction of this Charter and will retain their existing Trade Waste classification.

Westernport Water will classify Trade Waste customers in order to establish:

- the type of agreement applicable to that Trade Waste customer, reflecting the type, quality and quantity of the prospective discharge, and therefore the level of complexity of receiving and managing the Trade Waste stream
- the risk ranking of the waste
- the Trade Waste Agreement application fee, reflecting the level of complexity involved in assessment of the application (if applicable)
- any Trade Waste Agreement renewal fee, for reassessment and renewal of an existing agreement or Trade Waste Agreement at the end of its term (if applicable)
- any annual Trade Waste management fee, reflecting the level of complexity and resources required from Westernport Water to monitor performance and ensure compliance with the Trade Waste Agreement, including the frequency of sampling to be conducted by Westernport Water (if applicable) the frequency of Trade Waste discharge sample monitoring and reporting that the customer will be required to undertake
- the applicable Trade Waste tariff structure and billing cycle (if applicable)
- application of the above requirements for "Deemed" Trade Waste customers.
- any specific terms and conditions.



4.1.2 Classification process

Westernport Water classifies Trade Waste customers with consideration to the type of business, industry or activity carried out by the customer and the risk rating determined by Westernport Water associated with the acceptance of that customer's Trade Waste.

Westernport Water will take into account any other matters, including:

- customer location relative to treatment plant
- volume of Trade Waste discharge
- nature of the customer's business activity
- nature and quality of the customer's Trade Waste
- compliance performance history for that customer, where applicable
- any risk to personal health and safety
- any risk to the sewerage system including treatment plants
- any risk to the quality of the reuse water or biosolids
- any risk to the environment (water, land and air).

Westernport Water has the right to change any Trade Waste customer's classification due to: the customer's changed circumstances; new information coming to the attention of Westernport Water, change in legislation or changed environmental standards or requirements set under the GED.

4.1.3 Explanation of basis for classification

Westernport Water will provide an explanation of the classification ascribed to the customer on receipt of a request from the customer.

4.2 Risk identification and mitigation

4.2.1 Risk assessment by Westernport Water

Westernport Water will conduct a risk assessment for all applications to discharge Trade Waste to the sewerage system in accordance with Section 3 of the Trade Waste Code and / or requirements under the GED.

Westernport Water may complete additional risk assessments during the term of the Trade Waste Agreement.

Westernport Water will advise the Trade Waste customer of:

- any identified risks associated with the discharge
- any mitigation measures the customer will be required to implement. Such mitigation may include process and/or monitoring requirements and /or pre-treatment to meet approved acceptance criteria.

4.2.2 Risk assessment by the trade waste customer

Westernport Water may:

- require a customer to conduct its own risk assessment to identify potential causes of non-complaint Trade Waste discharge
- require a customer to provide and discuss the findings of the customer's risk assessment with Westernport Water
- identify further risk mitigation requirements to be implemented by the customer to minimise the impact of its Trade Waste discharge on the sewerage system.

4.3 Trade waste agreements

Prior to the discharge of Trade Waste to our sewerage system, customers are required to enter into a Trade Waste Agreement or with consent from Westernport Water.

4.3.1 Form of agreement

The category of Trade Waste determines the form of Trade Waste Agreement and also the pricing structure.

The categories are described below:

Category 1 – Deemed Trade Waste Customers

On the acceptance of an application from a customer determined to be a Category 1 Deemed Minor Trade Waste Customer, Westernport Water will provide the customer with a Trade Waste Agreement in the form of a Trade Waste Consent issued by Westernport Water.

The Trade Waste Agreement is entered by the conduct of Westernport Water providing the generic consent on the website and the customer commencing the discharge of Trade Waste to the sewerage system.

For the purposes of the ESC Trade Waste Code and this Charter, deemed Trade Waste customers discharging Trade Waste to sewer prior to the introduction of this Trade Waste Customer Charter (prior to 1 September 2020) will be considered to hold this form of Trade Waste Agreement.

The generic Trade Waste Consent for category 1 customers is available on Westernport Water's website www.westernportwater.com.au.

Category 2 – Greasy or commercial minor trade waste customers

On the acceptance of an application from a customer determined to be a Category 2 Greasy / Commercial Minor Trade Waste customer, Westernport Water will provide the customer with a Trade Waste Agreement in the form of a Trade Waste Consent issued and signed by Westernport Water. Although it is preferable, execution by the customer is not required for the Agreement to commence.

The Trade Waste Agreement is entered by the conduct of Westernport Water providing the Trade Waste Consent to the customer and the customer commencing the discharge of Trade Waste to the sewerage system.

For the purposes of this Charter, Trade Waste customers with an existing Consent to Discharge Minor Trade Waste granted by Westernport Water prior to the introduction of this Trade Waste Customer Charter (prior to 1 September 2020) will be considered to hold this form of Trade Waste Agreement.

A copy of the standard Trade Waste Consent for category 2 customers is available on Westernport Water's website www.westernportwater.com.au.

Categories 3 – Major trade waste customers

On the acceptance of an application from a customer determined to be a category 3 Trade Waste customer, Westernport Water will provide the customer with a Trade Waste Agreement.


Both Westernport Water and the Trade Waste customer are required to execute the Trade Waste Agreement for the agreement to take effect. The Trade Waste customer must not commence the discharge of Trade Waste to the sewerage system prior to the Trade Waste Agreement being executed, unless Westernport Water has provided an interim Trade Waste Agreement to allow information to be obtained regarding the characteristics of the Trade Waste (typically for a 6 month duration).

For the purposes of the ESC Code and this Charter, any Trade Waste Agreement entered into prior to the introduction of this Trade Waste Customer Charter (prior to 1 September 2020) will continue to apply until that agreement comes to an end.

A copy of the standard Trade Waste Agreement for category 3 customers is available on Westernport Water's website www.westernportwater.com.au.

4.3.2 Identify the trade waste customers

Westernport Water will endeavour to identify all Trade Waste customers in its service area and ensure that each customer has a Trade Waste Agreement or Consent in accordance with this Charter, Section 4.2 of the ESC Trade Waste Code and requirements under the GED.



*Photo description:
Westernport Water Cowes Waste Water Treatment Plant.*

4.3.3 Matters to be dealt with by a trade waste agreement

Westernport Water's Trade Waste Agreements will specify, as a minimum, the following:

- the parties to the agreement
- the address of the premises from which the discharge to the sewerage system will take place
- the discharge acceptance point and any sampling points
- the sewerage treatment plant that will or may receive and treat the Trade Waste (if known)
- the term of the agreement
- the nature of the permitted activities conducted on the Trade Waste customer's premises which generate the Trade Waste
- the customer's rights and obligations, or provide reference to where those rights and obligations are set out
- Westernport Water's water business' rights and obligations, or provide reference to where those rights and obligations are set out; rights will include:
 - the circumstances in which Westernport Water may require the customer to cease discharging Trade Waste into the sewerage system
 - the circumstances in which Westernport Water may serve a non-compliance notice on the customer, and the consequences of non-compliance
- any fees, charges, tariffs or prices payable by the Trade Waste customer, or provide reference to where they are set out (if applicable)
- the dispute resolution process, or provide reference to where the dispute resolution process is set out
- the procedure for serving notices on the other party, or provide reference to where the procedure is set out
- the relevant Trade Waste limitations, including times, rate, physical and chemical composition, prohibited substances, or reference to the approved acceptance criteria
- any monitoring, sampling or maintenance requirements, or reference to where those requirements are set out
- the agreement may only include matters appropriate to managing the discharge of Trade Waste.

4.3.4 Minor Trade Waste customers ("deemed")

Westernport Water has a number of non-residential customers whose discharge to the sewerage system would be defined as 'Trade Waste' but are considered by Westernport Water to be exempt from Trade Waste fees and charges as they do not warrant the additional level of monitoring and administration required.

Clause 4.4 of the Trade Waste Code makes provision for dischargers of Trade Waste of a nature similar to domestic sewage, at Westernport Water's discretion, to have their agreement arise automatically through customer conduct, these types of customers are classified as 'Deemed' Trade Waste customers. Westernport Water will publish a generic form of Trade Waste Consent on www.westernportwater.com.au and customers will be notified accordingly that they will enter into that agreement if they continue to discharge.

Customers who, by definition in Water Law, discharge Trade Waste, but that:

- discharge small quantities of Trade Waste to Westernport Water's sewerage system and which is of a similar nature to domestic sewage
- operates a business of a type which discharges small quantities of Trade Waste to Westernport Water's sewerage system and which is of a similar nature to domestic sewage,

will be considered "Deemed" Trade Waste customers.

As stated on Westernport Water's non-residential customer bills; if a 'Deemed' Trade Waste customer continues to discharge Trade Waste they will be taken to have entered into a default Trade Waste Agreement with Westernport Water arising by customer conduct.

A listing of the types of customers that Westernport Water would consider to fall into this category, as well as the default Trade Waste Consent arising by customer conduct, can be found on www.westernportwater.com.au

Westernport Water has the right to change any Trade Waste customer's classification due to the customer's changed circumstances or new information coming to the attention of Westernport Water.

4.3.5 Amendment to the trade waste agreement

A Trade Waste Agreement can only be amended (excluding a change to the approved acceptance criteria) if either:

- permitted by the Trade Waste Agreement the Trade Waste customer is notified of the amendment in writing or
- the amendment is in writing and signed by both parties.

4.4 Fees and charges

Westernport Water will only impose fees and charges in connection with Trade Waste in accordance with the prices and pricing principles determined by ESC for Westernport Water.

Westernport Water's approved pricing schedule for Trade Waste is available at www.westernportwater.com.au. The charging principles or fees imposed under the Trade Waste Agreement includes the actual costs of contractors pump out costs and Westernport Water's administration / inspection fees.

4.5 Acceptance criteria

4.5.1 Maintain approved statement of acceptance criteria

A Trade Waste customer must only discharge Trade Waste to the sewerage system in compliance with its Trade Waste Agreement, which includes the statement of approved acceptance criteria established by Westernport Water, except where customer specific acceptance criteria has been agreed to by Westernport Water.

Westernport Water's approved acceptance criteria for Trade Waste is available at www.westernportwater.com.au

4.5.2 Maintain approved statement of acceptance criteria

Westernport Water will comply with the Trade Waste policies and procedures, ESC's Code and this Charter when introducing amendments to the statement of approved acceptance criteria and customer-specific acceptance criteria for Trade Waste.

When introducing an amendment to the statement of approved acceptance criteria and customer-specific acceptance criteria, Westernport Water will consider the matters outlined in clause 4.1.2 and additionally other matters including:

- Westernport Water's Statement of Obligations
- the ESC Code
- any requirement in law
- Australian Sewage Quality Management Guidelines 2012 (or suspending document)
- exposure standards prescribed by Worksafe Australia for atmospheric contaminants
- explosive limits for gaseous emissions (below 5% Lower Explosive Limit (LEL))
- EPA licence conditions
- EPA guidelines, codes, regulations and publications
- obligations under the GED.

If the transport or treatment of Trade Waste involves another water business or Melbourne Water, then Westernport Water will consult that water business, and/ or Melbourne Water on the process to change or establish acceptance criteria applicable to that Trade Waste customer.

Subject to clause 4.5.4 of this charter: a process to change approved acceptance criteria or customer-specific acceptance criteria may be initiated by Westernport Water, a Trade Waste customer, ESC or obligations under the GED.

Westernport Water has no obligation to change any customer-specific acceptance criteria or apply for the ESC's approval to change its approved acceptance criteria at a Trade Waste customer's request.

4.5.3 Amendment to statement of approved acceptance criteria

Westernport Water's approved acceptance criteria will only be amended with the ESC's prior written approval.

Prior to applying for the ESC's approval of an amendment to the approved acceptance criteria, Westernport Water will:

- advertise on its website and notify all stakeholders (including potentially affected existing Trade Waste customers, the Commission and the Environment Protection Authority) that it is proposing a change to its approved acceptance criteria
- call for submissions from interested parties and note that submissions will be published on its website unless it is notified that a submission or part of a submission is confidential
- subject to any confidentiality requirement, publish all submissions received www.westernportwater.com.au.
- undertake appropriate stakeholder consultation, which is open for at least 30 business days from the last date a stakeholder is notified.

Westernport Water will ensure that any application to the ESC to amend the approved acceptance criteria is accompanied with supporting information including:

- the reason for the amendment to the approved acceptance criteria, including the factors considered in establishing the amended criteria
- details of the stakeholder consultation undertaken
- a summary of concerns or comments raised in any submissions received during the stakeholder consultation period and a summary of any responses provided by Westernport Water
- an implementation plan, outlining how the change will be integrated into existing operational practices and what timeframe customers will have to comply with the new requirements.

4.5.4 Customer specific acceptance criteria

Westernport Water may require a Trade Waste customer to comply with customer-specific acceptance criteria in addition to, or instead of, some or all of the statement of approved acceptance criteria, in order to satisfy the specific requirements of the Trade Waste customer charter and the sewerage systems.

Subject to the receipt of any application fee, Westernport Water will consider an application for customer specific acceptance criteria.

Westernport Water will respond to an application for customer-specific acceptance criteria within 10 business days of receipt of such an application, indicating:

- whether the application has been accepted or rejected or accepted with amendments
- if a longer period is required to assess the application
- if further information is required to enable a full assessment and what further information must be provided by the applicant.

If Westernport Water provides a notice of rejection or acceptance with amendments, it will also provide to the customer a statement of reasons at the same time.

Westernport Water will maintain a register of all customer-specific acceptance criteria detailing the name and address of the Trade Waste customer, the receiving sewage catchment or the treatment plant, the particular acceptance criteria parameter, the requested limit for the parameter and the current approved acceptance criteria limit for the parameter.

The register must also include all applications for customer specific acceptance criteria or for amendments to such acceptance criteria, including the water business' decision and the basis for that decision.

Westernport Water will provide the ESC with a copy of the register on request.

4.6 Dispute resolution

4.6.1 Complaints and dispute policy

Westernport Water will comply with its Complaint Handling Policy and the terms of the Trade Waste Agreement in dealing with any complaints made by the customer or any dispute arising from the Trade Waste Agreement.

Westernport Water's Complaints Handling Policy and Customer Charter is available on our website www.westernportwater.com.au.

Where a complaint escalates beyond Westernport Water's

Complaint Handling Policy and relates to technical or economic aspects of Trade Waste management Westernport Water will:

- with consent from the customer, engage the services of an independent expert or mediator to help resolve the complaint
- advise the customer that it may request that the Commission consider whether the water business has complied with the ESC's Code or Westernport Water's price determination.

4.6.2 Matters involving more than on water business

Where a complaint relates to any decision, act or omission by a water business other than Westernport Water or by Melbourne Water, Westernport Water will notify the customer of the other water business' or Melbourne Water's involvement.

4.7 Sewerage system capacity planning

Westernport Water's ability to accept and treat Trade Waste is regularly considered as part of its business planning processes.

Any question as to whether Westernport Water has complied with this charter will be determined by the Commission on the basis of the Commission's interpretation of this charter.

A reference to codes, determinations, guidelines or statements of obligations includes a reference to amendments or replacements of any of them.





**WESTERNPORT
WATER™**

2 Boys Home Road
Newhaven 3925
Victoria, Australia

T 1300 720 711 F 03 5956 4101
westport@westernportwater.com.au
westernportwater.com.au

